

- High flesh quality and gutted weight ratio
- High in animal protein and free from soya
- Good for restocking and angling purposes



### COMPOSITION:

Analyses (%)	4.5-6.0 mm	8.0 mm
Protein	45-47	43-45
Fat	21-23	23-25
Crude fibre	0,5-1,0	0,5-1,0
Ash	6-10	6-10
Total P	1,43	1,33
Astaxanthin (mg/kg)	60	60

### Vitamins added

Vitamin A (IE/kg)	15000	15000
-------------------	-------	-------

### Energy (MJ/kg)

Gross Energy	21,3 - 23,3	21,6 - 23,6
Digestible Energy	19,9 - 20,3	20,3 - 20,6

### FEEDING TABLE FOR LOW FEED CONVERSION RATIO (FCR)


Fish weight (g)	Feed size (mm)	< 6 °C	6 °C	8 °C	10 °C	12 °C	14 °C	16 °C	18 °C	> 18 °C
70-200	4.5	According to fish's appetite	0,60	0,85	1,00	1,10	1,10	1,05	0,90	According to fish's appetite & CO2 level
200-400	4.5		0,50	0,70	0,80	0,90	0,90	0,85	0,70	
400-700	6.0		0,40	0,65	0,75	0,85	0,85	0,80	0,65	
700-1000	6.0		0,40	0,60	0,70	0,80	0,80	0,75	0,60	
1000-1500	8.0		0,35	0,55	0,65	0,75	0,75	0,70	0,55	
1500-2000	8.0		0,30	0,45	0,55	0,70	0,70	0,65	0,50	
≥ 2000	8.0		0,25	0,4	0,5	0,6	0,6	0,55	0,45	

\* The feeding advice is expressed in % biomass/day.

\* This feeding table is a guideline only and based on optimal conditions.

### ECOLOGICAL FIGURES:

Discharge per 1000 kg production



The values of the nutrients and vitamins are from the time of writing.

These values can vary due to natural variation in the ingredients. We reserve the right to change our recipe.

For the exact values we refer to the label.