

- High quality low fat diet
- Lean growth
- For all sturgeon species
- For caviar production



COMPOSITION:

Analyses (%)		Sizes
Protein	49	3.0 mm
Fat	10	4.5 mm
Crude fibre	1,1	6.0 mm
Ash	8,0	9.0 mm
Total P	1,35	

Vitamins added

Vitamin A (IE/kg)	25000
-------------------	-------

Energy (MJ/kg)

Gross Energy	19,5
Digestible Energy	16,9

FEEDING TABLE FOR CAVIAR PRODUCTION


Fish weight (g)	Feed size (mm)	< 12 °C	12 °C	14 °C	16 °C	18 °C	20 °C	22 °C	24 °C	> 24 °C
100-200	3.0	According to fish's appetite	0,56	0,74	0,99	1,20	1,45	1,75	1,39	According to fish's appetite & O2 level
200-350	4.5		0,49	0,65	0,86	1,04	1,26	1,52	1,21	
350-600	4.5		0,44	0,59	0,78	0,94	1,14	1,38	1,10	
600-800	4.5		0,41	0,54	0,72	0,87	1,05	1,27	1,01	
800-1000	4.5		0,38	0,50	0,66	0,80	0,97	1,17	0,93	
1000-2000	6.0		0,33	0,44	0,58	0,71	0,85	1,03	0,82	
2000-4000	6.0		0,23	0,31	0,41	0,50	0,60	0,72	0,57	
4000-6000	6.0		0,19	0,25	0,33	0,40	0,48	0,58	0,46	
6000-8000	6.0/9.0		0,15	0,20	0,26	0,32	0,39	0,47	0,37	
8000-15000	9.0		0,09	0,12	0,16	0,19	0,23	0,27	0,22	

* The feeding advice is expressed in % biomass/day.

* This feeding table is a guideline only and based on optimal conditions.

ECOLOGICAL FIGURES:

Discharge per 1000 kg production



The values of the nutrients and vitamins are from the time of writing.

These values can vary due to natural variation in the ingredients. We reserve the right to change our recipe.

For the exact values we refer to the label.